

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-20. (Canceled)

21. (Currently Amended) A child seat for seating a child within a vehicle, comprising:

a seat portion including a base having a seating surface; and

an object holder including a cavity for receiving and holding an object and a sidewall to define the cavity;

wherein the object holder is attached to the base such that the object holder is and movable between an extended, in use position and a fully retracted, storage position;

~~wherein the object holder includes a cavity for receiving objects;~~

wherein, when the object holder is in the fully retracted, storage position, the object holder can be retracted no further into the base, a majority of the cavity is partially under the seating surface, in the retracted, storage position, and wherein the object holder includes a sidewall to define the cavity; a minority of the cavity is not under the seating surface, and a portion of the sidewall that defines the minority of the cavity is being accessible when the object holder is in the retracted, storage position in order to provide a handgrip for use in changing position of moving the object holder to the extended, in use position.

22. (Withdrawn) The child seat of claim 21, wherein the object holder is pivotally attached to the base.

23. (Original) The child seat of claim 21, wherein the object holder includes an extension slidably connected to the base and positioned under the seating surface.

24. (Previously Presented) The child seat of claim 23, wherein the extension includes a slot, and the base includes a post positioned in the slot to limit a sliding motion of the object holder.

25. (Previously Presented) The child seat of claim 21, further comprising a second object holder attached to the base.

26. (Previously Presented) The child seat of claim 21, wherein the object holder is configured so that when the object holder is moved to the retracted, storage position, a portion of the object holder remains accessible, thereby providing a gripping surface.

27-58. (Canceled)

59. (Withdrawn) A child seat comprising:

a base having a seating surface; and

an object holder pivotally attached to the base to pivot between an extended, in-use position and a retracted, storage position, the object holder having a cavity for receiving objects;

wherein when the object holder is in the retracted, storage position, a first portion of the cavity extends beyond an outer side surface of the base, and a second portion of the cavity does not extend beyond the outer side surface of the base.

60-62. (Canceled)

63. (Withdrawn) The child seat of claim 59 further comprising a second object holder attached to the base.

64. (Currently Amended) A child seat for seating a child within a vehicle, comprising:

a base having a seating surface; and

an object holder including a cavity for receiving and holding an object;

wherein the object holder is attached to the base such that the object holder is ~~and~~ movable in and out of the base between an extended, in use position and a fully retracted, storage position, ~~the object holder having a cavity for receiving objects~~;

wherein, when the object holder is in the fully retracted, storage position, the object holder can be retracted no further into the base, and only a portion of the object holder only partially retracts is within the base ~~in the retracted, storage position~~ such that a first portion of the cavity remains extended from the base and a second portion of the cavity ~~retracts is~~ retracted within the base.

65. (Withdrawn) The child seat of claim 64, wherein the object holder is pivotally attached to the base.

66. (Previously Presented) The child seat of claim 64, wherein the object holder is slidably attached to the base.

67. (Previously Presented) The child seat of claim 64, wherein the object holder includes an extension slidably connected to the base and positioned under the seating surface.

68. (Previously Presented) The child seat of claim 67, wherein the extension includes a slot, and the base includes a post positioned in the slot to limit a sliding motion of the object holder.

69. (Previously Presented) The child seat of claim 64, further comprising a second object holder attached to the base.

70. (Previously Presented) The child seat of claim 64, wherein the object holder is configured so that when the object holder is moved to the retracted, storage position, a portion of the object holder remains accessible, thereby providing a gripping surface.

71. (Previously Presented) The child seat of claim 67, wherein the cavity is at a distal end of the extension.

72. (Withdrawn) A child seat comprising:
a seat portion including a base having a seating surface; and

an object holder attached to the base and movable between an extended, in use position and a retracted, storage position;

wherein the object holder includes a cavity for receiving objects;

wherein the cavity is partially under the seating surface in the retracted, storage position, and

wherein the object holder is pivotally attached to the base to pivot between the extended, in use position and the retracted, storage position.

73. (New) The child seat of claim 21, wherein the child seat is configured for placement on a seat of the vehicle, and wherein the child seat has a belt path configured to receive and locate relative to the child a lapbelt of a restraint system of the vehicle.

74. (New) The child seat of claim 64, wherein the child seat is configured for placement on a seat of the vehicle, and wherein the child seat has a belt path configured to receive and locate relative to the child a lapbelt of a restraint system of the vehicle.